

RSC - Pastiglie racing per dischi compositi in ceramica.

RSC1:

Mescola per gare Sprint e track day per tutti i tipi di dischi in ceramica. Un'ideale combinazione fra attrito a freddo, resistenza al fading e bassa ossidazione termica delle bre della super cie del disco.

RSC2:

Mescole race speciali per dischi in ceramica con un alto contenuto sulla superficie di frizione. Eccellente stabilità di fading, alto livello di attrito e bassa usura della pastiglia.

RSC3:

Mescole race speciali per dischi in ceramica con un basso contenuto di bre sulla super cie di frizione. Eccellente stabilità di fading, alto livello di attrito e bassa usura della pastiglia.



PAGID/RSL




PAGID/RST



PAGID/RS



PAGID/RSC



PAGID/RSH

RSCH - Pastiglie racing per auto storiche.

RSH 3:

Mescola di tipo cerametallico ad alto attrito, attacco iniziale elevato ed eccellenti caratteristiche di modulazione e rilascio. Pedale stabilmente saldo a tutte le temperature, resistenza al fading fino a 800°C, bassa conduttività termica.

RSH 29E:

Attrito medio-alto per lunghe distanze con elevata stabilità termica rispetto all'attrito e al consumo di pastiglia e disco.

Meno aggressiva della RSH 3, consente un migliore bilanciamento e modulazione di frenata.

RSH 42:

Mescola ad attrito medio basso con immediata risposta a basse temperature. Rodaggio molto facile. Per auto Rally classiche e molto popolare anche su piccole vetture formula.



RC5+

Coefficiente medio di attrito $\mu = 0,40$

L'ultima mescola della gamma CL, la RC5 +, è stata sviluppata per i veicoli leggeri o per le corse in condizioni di bassa aderenza (pneumatici da strada, ghiaia, fango, neve, acqua, etc.).

Un'ottima mescola per le giornate in pista, offre livelli di attrito moderati, a basso rumore, è facile su dischi OEM, e ha un ottimo potere di arresto a freddo. Inoltre, può essere utilizzata sull'asse posteriore dei veicoli per cambiare il bilanciamento della frenata quando non è disponibile un regolatore

RC6

Coefficiente medio di attrito $\mu = 0,50$

La mescola RC6 è stata progettata per una vasta gamma di sport motoristici, dal raduno al circuito. Ha un livello di attrito piatto e molto piatto e può essere utilizzata con successo in quasi ogni tipo di macchina di corsa. La bassa comprimibilità fornisce un pedale rigido che aumenta notevolmente il feedback e consente una modulazione più facile. Può essere utilizzata anche nell'asse anteriore o posteriore in combinazione con la RC8 o RC5 per regolare il **bilanciamento**.

RC6 Endurance

Coefficiente medio di attrito $\mu = 0,46$

Nato nel 2008, l'RC6 Endurance è stato progettato per offrire livelli di usura del disco e della pastiglia molto bassi senza sacrificare i livelli di attrito. Per necessità di durata della pastiglia fino a 6, 12 o anche 24 ore. La RC6E vanta la stessa facilità di rodaggio e rodaggio e attrito stabile di tutte le altre mescole Carbone Lorraine.



RC8

Coefficiente medio di attrito $\mu = 0,60$

Sviluppato nel 2006, il composto RC8 vanta il più alto livello di attrito offerto da Carbone Lorraine ed è usato nel motorsport di alto livello come ad esempio WRC, WTCC, NASCAR, ZA V8, AWD GRPN, ecc. Livelli estremamente elevati di attrito permettono più brevi spazi di frenata e la curva di coppia piatta fornisce un'eccellente modulazione per evitare il bloccaggio delle ruote.


La RC8 è stata progettata per essere utilizzata solo con altre mescole freni CL.

RC8-R


Coefficiente medio di attrito $\mu = 0,60$

Usando lo stesso materiale di attrito dell' RC8, è stato scanalata la piastra posteriore per ridurre l'area di contatto con il pistone e fornire un effetto "radiatore". Questa forma brevettata è stata creata per ridurre il trasferimento di calore attraverso il pistone e nel liquido dei freni.


IMPIANTI FRENANTI




Codice	Marca	Spessore	Mescola*
FCP296R	Ferodo	17,0 mm	DS3000
E1141R19	Pagid	17,0 mm	RS 19




Codice	Marca	Spessore	Mescola*
E1191RH03	Pagid	18,5 mm	RSH 3
E1191RH29	Pagid	18,5 mm	RSH 29E
E1191RH42	Pagid	18,5 mm	RSH 42
E1195RH03	Pagid	18,5 mm	RSH 3
E1195RH29	Pagid	24,0 mm	RSH 29E




Codice	Marca	Spessore	Mescola*
4001RC5	Carbone Lorraine	18,0 mm	RC5+
4001RC6	Carbone Lorraine	18,0 mm	RC6
4001RC6E	Carbone Lorraine	18,0 mm	RC6 Endurance
4001RC8	Carbone Lorraine	18,0 mm	RC8
4001RC8R	Carbone Lorraine	18,0 mm	RC8-R
FCP560R	Ferodo	18,0 mm	DS3000
E1204R14	Pagid	18,0 mm	RS 14
E1204R19	Pagid	18,0 mm	RS 19
E1204R29	Pagid	18,0 mm	RS 29
E1204R42	Pagid	18,0 mm	RS 4-2
E1204R44	Pagid	18,0 mm	RS 4-4
E1204RSC1	Pagid	18,0 mm	RSC1
E1204RST3	Pagid	18,0 mm	RST3
E1204RST4	Pagid	18,0 mm	RST4




Codice	Marca	Spessore	Mescola*
4025RC6	Carbone Lorraine	20,0 mm	RC6
4025RC6E	Carbone Lorraine	20,0 mm	RC6 Endurance
4025RC8R	Carbone Lorraine	20,0 mm	RC8-R
FCP256R	Ferodo	19,5 mm	DS3000
E1144R19	Pagid	19,5 mm	RS 19
E1144R29	Pagid	19,5 mm	RS 29
E1144R42	Pagid	19,5 mm	RS 4-2
E1144R44	Pagid	19,5 mm	RS 4-4




Codice	Marca	Spessore	Mescola*
4113RC5	Carbone Lorraine	17,0 mm	RC5+
4113RC6	Carbone Lorraine	17,0 mm	RC6
4113RC8	Carbone Lorraine	17,0 mm	RC8
4113RC8R	Carbone Lorraine	17,0 mm	RC8-R
E1192RH03	Pagid	17,0 mm	RSH 3
E1192RH29	Pagid	17,0 mm	RSH 29E
E1192RH42	Pagid	17,0 mm	RSH 42
E1193RH29	Pagid	20,0 mm	RSH 29E




Codice	Marca	Spessore	Mescola*
FCP1491H	Ferodo	16,0 mm	DS2500
E1158R14	Pagid	15,0 mm	RS 14
E1158R19	Pagid	15,0 mm	RS 19
E1158R29	Pagid	15,0 mm	RS 29
E1158R42	Pagid	15,0 mm	RS 4-2
E1158R44	Pagid	15,0 mm	RS 4-4




Codice	Marca	Spessore	Mescola*
4002RC5	Carbone Lorraine	17,0 mm	RC5+
4002RC6	Carbone Lorraine	17,0 mm	RC6
4002RC6E	Carbone Lorraine	17,0 mm	RC6 Endurance
4002RC8	Carbone Lorraine	17,0 mm	RC8
4002RC8R	Carbone Lorraine	17,0 mm	RC8-R
FCP451R	Ferodo	17,5 mm	DS3000
E1203R14	Pagid	17,5 mm	RS 14
E1203R19	Pagid	17,5 mm	RS 19
E1203R29	Pagid	17,5 mm	RS 29
E1203R42	Pagid	17,5 mm	RS 4-2
E1203R44	Pagid	17,5 mm	RS 4-4
E1203RST3	Pagid	17,5 mm	RST3
E1203RST4	Pagid	17,5 mm	RST4
E1916RH29	Pagid	24,0 mm	RSH 29E
E1916RH42	Pagid	24,0 mm	RSH 42




Codice	Marca	Spessore	Mescola*
CP2340D51-APF402	AP Racing	16,0 mm	APF402
FRP201C	Ferodo	16,0 mm	FER4003
FRP201H	Ferodo	16,0 mm	DS2500
FRP201R	Ferodo	16,0 mm	DS3000
FRP201W	Ferodo	16,0 mm	DS1.11
FRP201X	Ferodo	16,0 mm	DS2.11
E1265R29	Pagid	16,0 mm	RS 29
E1265RH03	Pagid	16,0 mm	RSH 3
E1265RH42	Pagid	16,0 mm	RSH 42
E1265RST1	Pagid	16,0 mm	RST1
E1265RST2	Pagid	16,0 mm	RST2



Codice	Marca	Spessore	Mescola*
FCP408R	Ferodo	13,7 mm	DS3000
E1163R14	Pagid	13,7 mm	RS 14
E1163R42	Pagid	13,7 mm	RS 4-2




Codice	Marca	Spessore	Mescola*
5014W54T25RC5	Carbone Lorraine	25,0 mm	RC5+
5014W54T25RC6	Carbone Lorraine	25,0 mm	RC6
5014W54T25RC6E	Carbone Lorraine	25,0 mm	RC6 Endurance
5014W54T25RC8R	Carbone Lorraine	25,0 mm	RC8-R
FRP217R	Ferodo	20,0 mm	DS3000
E1267R19	Pagid	20,0 mm	RS 19
E1268R29	Pagid	25,0 mm	RS 29
E1268R42	Pagid	25,0 mm	RS 4-2




Codice	Marca	Spessore	Mescola*
4038RC5	Carbone Lorraine	14,0 mm	RC5+
4038RC6	Carbone Lorraine	14,0 mm	RC6
4038RC6E	Carbone Lorraine	14,0 mm	RC6 Endurance
4038RC8	Carbone Lorraine	14,0 mm	RC8
FCP415R	Ferodo	19,0 mm	DS3000
E1190RH29	Pagid	19,0 mm	RSH 29E







Codice	Marca	Spessore	Mescola*
FRP203H	Ferodo	17,0 mm	DS2500
FRP203R	Ferodo	17,0 mm	DS3000
E1269R29	Pagid	17,0 mm	RS 29
E1269R44	Pagid	17,0 mm	RS 4-4
E1269RH03	Pagid	17,0 mm	RSH 3
E1269RH42	Pagid	17,0 mm	RSH 42
E1269RST1	Pagid	17,0 mm	RST1
E1269RST2	Pagid	17,0 mm	RST2
E1269RST4	Pagid	17,0 mm	RST4




Codice	Marca	Spessore	Mescola*
E1276R19	Pagid	19,5 mm	RS 19
E1276R29	Pagid	19,5 mm	RS 29
E1276R42	Pagid	19,5 mm	RS 4-2
E1276R44	Pagid	19,5 mm	RS 4-4




Codice	Marca	Spessore	Mescola*
5008W52T18RC5	Carbone Lorraine	18,0 mm	RC5+
5008W52T18RC6	Carbone Lorraine	18,0 mm	RC6
5008W52T18RC6E	Carbone Lorraine	18,0 mm	RC6 Endurance
5008W52T18RC8	Carbone Lorraine	18,0 mm	RC8
5008W52T18RC8R	Carbone Lorraine	18,0 mm	RC8-R
E1287R14	Pagid	18,0 mm	RS 14
E1287R29	Pagid	18,0 mm	RS 29
E1287R42	Pagid	18,0 mm	RS 4-2
E1287R44	Pagid	18,0 mm	RS 4-4
E1287RSC1	Pagid	18,0 mm	RSC1
E1287RSC3	Pagid	18,0 mm	RSC3
E1287RSL1	Pagid	18,0 mm	RSL1
E1287RST1	Pagid	18,0 mm	RST1
E1287RST2	Pagid	18,0 mm	RST2
E1287RST3	Pagid	18,0 mm	RST3
E1287RST4	Pagid	18,0 mm	RST4




Codice	Marca	Spessore	Mescola*
CP3215D50-APF402	AP Racing	17,0 mm	APF402
CP3215D50-APF403	AP Racing	17,0 mm	APF403
CP3215D50-APF404	AP Racing	17,0 mm	APF404
CP2279D50-APF401	AP Racing	20,0 mm	APF401
CP2279D50-APF402	AP Racing	20,0 mm	APF402
5004W50T17RC5	Carbone Lorraine	17,0 mm	RC5+
5004W50T17RC6	Carbone Lorraine	17,0 mm	RC6
5004W50T17RC6E	Carbone Lorraine	17,0 mm	RC6 Endurance
5004W50T17RC8	Carbone Lorraine	17,0 mm	RC8
5004W50T17RC8R	Carbone Lorraine	17,0 mm	RC8-R
5004W50T20RC5	Carbone Lorraine	20,0 mm	RC5+
5004W50T20RC6	Carbone Lorraine	20,0 mm	RC6
5004W50T20RC6E	Carbone Lorraine	20,0 mm	RC6 Endurance
5004W50T20RC8	Carbone Lorraine	20,0 mm	RC8
5004W50T20RC8R	Carbone Lorraine	20,0 mm	RC8-R
FRP216H	Ferodo	17,0 mm	DS2500
FRP216R	Ferodo	17,0 mm	DS3000
FRP216W	Ferodo	17,0 mm	DS1.11
FRP216X	Ferodo	17,0 mm	DS2.11
FRP216Z	Ferodo	17,0 mm	DSUNO
FRP212H	Ferodo	20,0 mm	DS2500
FRP212R	Ferodo	20,0 mm	DS3000
FRP212W	Ferodo	20,0 mm	DS1.11
FRP212X	Ferodo	20,0 mm	DS2.11
FRP212Z	Ferodo	20,0 mm	DSUNO




Codice	Marca	Spessore	Mescola*
5006W43T16RC5	Carbone Lorraine	16,0 mm	RC5+
5006W43T16RC6	Carbone Lorraine	16,0 mm	RC6
5006W43T16RC8	Carbone Lorraine	16,0 mm	RC8
5006W43T16RC8R	Carbone Lorraine	16,0 mm	RC8-R
5006W43T20RC5	Carbone Lorraine	20,0 mm	RC5+
5006W43T20RC6	Carbone Lorraine	20,0 mm	RC6
5006W43T20RC6E	Carbone Lorraine	20,0 mm	RC6 Endurance
5006W43T20RC8	Carbone Lorraine	20,0 mm	RC8
5006W43T20RC8R	Carbone Lorraine	20,0 mm	RC8-R
FRP1079R	Ferodo	16,0 mm	DS3000
FRP308H	Ferodo	20,0 mm	DS2500
FRP308R	Ferodo	20,0 mm	DS3000
FRP308W	Ferodo	20,0 mm	DS1.11
FRP308Z	Ferodo	20,0 mm	DSUNO
E1705R14	Pagid	16,0 mm	RS 14
E1705R29	Pagid	16,0 mm	RS 29
E1705R42	Pagid	16,0 mm	RS 4-2
E1705R44	Pagid	16,0 mm	RS 4-4
E1705RST1	Pagid	16,0 mm	RST1
E1705RST2	Pagid	16,0 mm	RST2
E1705RST3	Pagid	16,0 mm	RST3
E1705RST4	Pagid	16,0 mm	RST4
E1283R14	Pagid	20,0 mm	RS 14
E1283R42	Pagid	20,0 mm	RS 4-2
E1283R44	Pagid	20,0 mm	RS 4-4
E1283RST1	Pagid	20,0 mm	RST1
E1283RST2	Pagid	20,0 mm	RST2
E1283RST3	Pagid	20,0 mm	RST3
E1283RST4	Pagid	20,0 mm	RST4
E8193RSL1	Pagid	22,0 mm	RSL1



Codice	Marca	Spessore	Mescola*
FCP584R	Ferodo	17,5 mm	DS3000
E1288R19	Pagid	17,5 mm	RS 19
E1288R29	Pagid	17,5 mm	RS 29
E1288R42	Pagid	17,5 mm	RS 4-2




Codice	Marca	Spessore	Mescola*
E1291RH29	Pagid	17,8 mm	RSH 29E
E1291RH42	Pagid	17,8 mm	RSH 42




Codice	Marca	Spessore	Mescola*
FCP578R	Ferodo	16,8 mm	DS3000
FCP1281R	Ferodo	18,0 mm	DS3000
E1285R14	Pagid	16,8 mm	RS 14
E1285R19	Pagid	16,8 mm	RS 19
E1285R29	Pagid	16,8 mm	RS 29
E1285R42	Pagid	16,8 mm	RS 4-2
E1285R44	Pagid	16,8 mm	RS 4-4
E1285RSL1	Pagid	16,8 mm	RSL1
E1285RST4	Pagid	16,8 mm	RST4







Codice	Marca	Spessore	Mescola*
4033RC5	Carbone Lorraine	20,5 mm	RC5+
4033RC6	Carbone Lorraine	20,5 mm	RC6
4033RC6E	Carbone Lorraine	20,5 mm	RC6 Endurance
4033RC8	Carbone Lorraine	20,5 mm	RC8
4033RC8R	Carbone Lorraine	20,5 mm	RC8-R
FCP779H	Ferodo	19,8 mm	DS2500
FCP779R	Ferodo	19,8 mm	DS3000
E1295R14	Pagid	19,8 mm	RS 14
E1295R19	Pagid	19,8 mm	RS 19
E1295R29	Pagid	19,8 mm	RS 29
E1295R42	Pagid	19,8 mm	RS 4-2
E1295R44	Pagid	19,8 mm	RS 4-4
E1295RSL1	Pagid	19,8 mm	RSL1
E1295RSL2	Pagid	19,8 mm	RSL2
E1295RST1	Pagid	19,8 mm	RST1
E1295RST2	Pagid	19,8 mm	RST2
E1295RST3	Pagid	19,8 mm	RST3




Codice	Marca	Spessore	Mescola*
CP2195D38-APF403	AP Racing	10,5 mm	APF403
5000W38T10RC5	Carbone Lorraine	10,0 mm	RC5+
5000W38T10RC6	Carbone Lorraine	10,0 mm	RC6
5000W38T10RC8	Carbone Lorraine	10,0 mm	RC8
FCP342C	Ferodo	10,5 mm	FER4003
FCP342H	Ferodo	10,5 mm	DS2500
FCP342R	Ferodo	10,5 mm	DS3000
E1362RH03	Pagid	10,5 mm	RSH 3
E1362RH42	Pagid	10,5 mm	RSH 42




Codice	Marca	Spessore	Mescola*
CP2399D43-APF405	AP Racing	15,0 mm	APF405
5001W43T14RC5	Carbone Lorraine	14,5 mm	RC5+
5001W43T14RC6	Carbone Lorraine	14,5 mm	RC6
5001W43T14RC6E	Carbone Lorraine	14,5 mm	RC6 Endurance
5001W43T14RC8	Carbone Lorraine	14,5 mm	RC8
5001W43T14RC8R	Carbone Lorraine	14,5 mm	RC8-R
FCP825H	Ferodo	15,0 mm	DS2500
FCP825R	Ferodo	15,0 mm	DS3000
E1363R14	Pagid	15,0 mm	RS 14
E1363R29	Pagid	15,0 mm	RS 29
E1363R44	Pagid	15,0 mm	RS 4-4
E1363RH42	Pagid	15,0 mm	RSH 42
E1363RSL2	Pagid	15,0 mm	RSL2
E1363RST2	Pagid	15,0 mm	RST2
E1363RST4	Pagid	15,0 mm	RST4




Codice	Marca	Spessore	Mescola*
4047RC5	Carbone Lorraine	14,5 mm	RC5+
4047RC6	Carbone Lorraine	14,5 mm	RC6
4047RC6E	Carbone Lorraine	14,5 mm	RC6 Endurance
4047RC8	Carbone Lorraine	14,5 mm	RC8
4047RC8R	Carbone Lorraine	14,5 mm	RC8-R
FCP986R	Ferodo	14,5 mm	DS3000
E1406R14	Pagid	14,5 mm	RS 14
E1406R29	Pagid	14,5 mm	RS 29
E1406R42	Pagid	14,5 mm	RS 4-2
E1406R44	Pagid	14,5 mm	RS 4-4
E1406RSL1	Pagid	14,5 mm	RSL1
E1406RST3	Pagid	14,5 mm	RST3



Codice	Marca	Spessore	Mescola*
4022T15RC5	Carbone Lorraine	15,0 mm	RC5+
4022T15RC6	Carbone Lorraine	15,0 mm	RC6
4022T15RC6E	Carbone Lorraine	15,0 mm	RC6 Endurance
4022T15RC8	Carbone Lorraine	15,0 mm	RC8
4022T15RC8R	Carbone Lorraine	15,0 mm	RC8-R
FCP1348R	Ferodo	15,0 mm	DS3000
E1408R14	Pagid	15,0 mm	RS 14
E1408R29	Pagid	15,0 mm	RS 29
E1408R42	Pagid	15,0 mm	RS 4-2
E1408R44	Pagid	15,0 mm	RS 4-4
E1408RSC1	Pagid	15,0 mm	RSC1
E1408RSL1	Pagid	15,0 mm	RSL1
E1408RST1	Pagid	15,0 mm	RST1
E1408RST2	Pagid	15,0 mm	RST2
E1408RST3	Pagid	15,0 mm	RST3
E1408RST4	Pagid	15,0 mm	RST4




Codice	Marca	Spessore	Mescola*
4061T18RC5	Carbone Lorraine	18,0 mm	RC5+
4061T18RC6	Carbone Lorraine	18,0 mm	RC6
4061T18RC6E	Carbone Lorraine	18,0 mm	RC6 Endurance
4061T18RC8R	Carbone Lorraine	18,0 mm	RC8-R
FCP1298R	Ferodo	18,0 mm	DS3000
E1427R29	Pagid	18,0 mm	RS 29
E1427R42	Pagid	18,0 mm	RS 4-2
E1427R44	Pagid	18,0 mm	RS 4-4
E1427RSL1	Pagid	18,0 mm	RSL1
E1427RSL2	Pagid	18,0 mm	RSL2
E1427RST3	Pagid	18,0 mm	RST3
E1427RST4	Pagid	18,0 mm	RST4




Codice	Marca	Spessore	Mescola*
CP3894D51-APF402	AP Racing	18,0 mm	APF402
CP3894D51-APF403	AP Racing	18,0 mm	APF403
CP3894D51-APF404	AP Racing	18,0 mm	APF404
CP3558D51-APF402	AP Racing	25,0 mm	APF402
5009W51T18RC5	Carbone Lorraine	18,0 mm	RC5+
5009W51T18RC6	Carbone Lorraine	18,0 mm	RC6
5009W51T18RC6E	Carbone Lorraine	18,0 mm	RC6 Endurance
5009W51T18RC8	Carbone Lorraine	18,0 mm	RC8
5009W51T18RC8R	Carbone Lorraine	18,0 mm	RC8-R
5009W51T25RC5	Carbone Lorraine	25,0 mm	RC5+
5009W51T25RC6	Carbone Lorraine	25,0 mm	RC6
5009W51T25RC6E	Carbone Lorraine	25,0 mm	RC6 Endurance
5009W51T25RC8	Carbone Lorraine	25,0 mm	RC8
5009W51T25RC8R	Carbone Lorraine	25,0 mm	RC8-R
FRP3054H	Ferodo	18,0 mm	DS2500
FRP3054R	Ferodo	18,0 mm	DS3000
FRP3054W	Ferodo	18,0 mm	DS1.11
FRP3054Z	Ferodo	18,0 mm	DSUNO
FRP3061R	Ferodo	25,0 mm	DS3000
FRP3061Z	Ferodo	25,0 mm	DSUNO
E8018R29	Pagid	17,0 mm	RS 29
E8018RST1	Pagid	17,0 mm	RST1
E8018RST2	Pagid	17,0 mm	RST2
E8018RST3	Pagid	17,0 mm	RST3
E8018RST4	Pagid	17,0 mm	RST4
E1903R14	Pagid	18,0 mm	RS 14
E1903R29	Pagid	18,0 mm	RS 29
E1903R42	Pagid	18,0 mm	RS 4-2
E1903RSC1	Pagid	18,0 mm	RSC1
E1903RSL1	Pagid	18,0 mm	RSL1
E1903RSL2	Pagid	18,0 mm	RSL2
E1903RST1	Pagid	18,0 mm	RST1
E1903RST2	Pagid	18,0 mm	RST2
E1903RST3	Pagid	18,0 mm	RST3
E1903RST4	Pagid	18,0 mm	RST4
E1538R14	Pagid	25,0 mm	RS 14
E1538R19	Pagid	25,0 mm	RS 19
E1538R29	Pagid	25,0 mm	RS 29
E1538R42	Pagid	25,0 mm	RS 4-2
E1538RSC2	Pagid	25,0 mm	RSC2
E1538RST1	Pagid	25,0 mm	RST1
E1538RST2	Pagid	25,0 mm	RST2
E1538RST3	Pagid	25,0 mm	RST3
E8192RSL1	Pagid	28,5 mm	RSL1







Codice	Marca	Spessore	Mescola*
4020RC5	Carbone Lorraine	18,5 mm	RC5+
4020RC6	Carbone Lorraine	18,5 mm	RC6
4020RC8	Carbone Lorraine	18,5 mm	RC8
4020RC8R	Carbone Lorraine	18,5 mm	RC8-R
FCP660R	Ferodo	17,5 mm	DS3000
E1544R29	Pagid	17,5 mm	RS 29
E1544R44	Pagid	17,5 mm	RS 4-4




Codice	Marca	Spessore	Mescola*
E1580R42	Pagid	14,5 mm	RS 4-2



Codice	Marca	Spessore	Mescola*
4060T12.6RC5	Carbone Lorraine	12,6 mm	RC5+
4060RC5	Carbone Lorraine	15,0 mm	RC5+
4060RC6	Carbone Lorraine	15,0 mm	RC6
4060RC6E	Carbone Lorraine	15,0 mm	RC6 Endurance
4060RC8	Carbone Lorraine	15,0 mm	RC8
4060RC8R	Carbone Lorraine	15,0 mm	RC8-R
E1587R14	Pagid	15,0 mm	RS 14
E1587R19	Pagid	15,0 mm	RS 19
E1587R29	Pagid	15,0 mm	RS 29
E1587R42	Pagid	15,0 mm	RS 4-2
E1587R44	Pagid	15,0 mm	RS 4-4
E1587RST3	Pagid	15,0 mm	RST3
E1587RST4	Pagid	15,0 mm	RST4




Codice	Marca	Spessore	Mescola*
4072RC5	Carbone Lorraine	15,6 mm	RC5+
4072RC6	Carbone Lorraine	15,6 mm	RC6
4072RC8	Carbone Lorraine	15,6 mm	RC8
4072RC8R	Carbone Lorraine	15,6 mm	RC8-R
FCP765R	Ferodo	15,6 mm	DS3000
E1591R14	Pagid	15,6 mm	RS 14
E1591R42	Pagid	15,6 mm	RS 4-2




Codice	Marca	Spessore	Mescola*
5005W50T16RC5	Carbone Lorraine	16,0 mm	RC5+
5005W50T16RC6	Carbone Lorraine	16,0 mm	RC6
5005W50T16RC6E	Carbone Lorraine	16,0 mm	RC6 Endurance
5005W50T16RC8	Carbone Lorraine	16,0 mm	RC8
5005W50T16RC8R	Carbone Lorraine	16,0 mm	RC8-R
5005W50T20RC5	Carbone Lorraine	20,0 mm	RC5+
5005W50T20RC6	Carbone Lorraine	20,0 mm	RC6
5005W50T20RC6E	Carbone Lorraine	20,0 mm	RC6 Endurance
5005W50T20RC8	Carbone Lorraine	20,0 mm	RC8
5005W50T20RC8R	Carbone Lorraine	20,0 mm	RC8-R
5005W50T25RC5	Carbone Lorraine	25,0 mm	RC5+
5005W50T25RC6	Carbone Lorraine	25,0 mm	RC6
5005W50T25RC6E	Carbone Lorraine	25,0 mm	RC6 Endurance
5005W50T25RC8	Carbone Lorraine	25,0 mm	RC8
5005W50T25RC8R	Carbone Lorraine	25,0 mm	RC8-R
FRP1077H	Ferodo	16,0 mm	DS2500
FRP1077R	Ferodo	16,0 mm	DS3000
FRP1077W	Ferodo	16,0 mm	DS1.11
FRP1077Z	Ferodo	16,0 mm	DSUNO
FRP302R	Ferodo	20,0 mm	DS3000
FRP1078R	Ferodo	25,0 mm	DS3000
FRP1078W	Ferodo	25,0 mm	DS1.11
FRP1078Z	Ferodo	25,0 mm	DSUNO
E1595R14	Pagid	16,0 mm	RS 14
E1595R19	Pagid	16,0 mm	RS 19
E1595R29	Pagid	16,0 mm	RS 29
E1595R42	Pagid	16,0 mm	RS 4-2
E1595RSL1	Pagid	16,0 mm	RSL1
E1595RST1	Pagid	16,0 mm	RST1
E1595RST2	Pagid	16,0 mm	RST2
E1595RST3	Pagid	16,0 mm	RST3
E1595RST4	Pagid	16,0 mm	RST4
E1607R14	Pagid	20,0 mm	RS 14
E1607R29	Pagid	20,0 mm	RS 29
E1607R42	Pagid	20,0 mm	RS 4-2
E1607R44	Pagid	20,0 mm	RS 4-4
E1607RSL1	Pagid	20,0 mm	RSL1
E1607RST1	Pagid	20,0 mm	RST1
E1607RST2	Pagid	20,0 mm	RST2
E1607RST3	Pagid	20,0 mm	RST3
E1607RST4	Pagid	20,0 mm	RST4
E8037R19	Pagid	22,0 mm	RS 19
E8037R29	Pagid	22,0 mm	RS 29
E8037RSL1	Pagid	22,0 mm	RSL1
E8037RSL2	Pagid	22,0 mm	RSL2
E8037RST1	Pagid	22,0 mm	RST1
E8037RST2	Pagid	22,0 mm	RST2
E8037RST4	Pagid	22,0 mm	RST4
E1674R14	Pagid	25,0 mm	RS 14
E1674R19	Pagid	25,0 mm	RS 19
E1674R29	Pagid	25,0 mm	RS 29
E1674R42	Pagid	25,0 mm	RS 4-2
E1674R44	Pagid	25,0 mm	RS 4-4
E1674RSL1	Pagid	25,0 mm	RSL1
E1674RSL2	Pagid	25,0 mm	RSL2
E1674RST1	Pagid	25,0 mm	RST1
E1674RST2	Pagid	25,0 mm	RST2
E1674RST3	Pagid	25,0 mm	RST3
E1674RST4	Pagid	25,0 mm	RST4

Codice	Marca	Spessore	Mescola*
E2704R19	Pagid	26,5 mm	RS 19
E2704R29	Pagid	26,5 mm	RS 29
E2704RSL1	Pagid	26,5 mm	RSL1
E2704RSL2	Pagid	26,5 mm	RSL2
E8191RSL1	Pagid	29,0 mm	RSL1
E8191RSL2	Pagid	29,0 mm	RSL2





Codice	Marca	Spessore	Mescola*
4034T11RC5	Carbone Lorraine	10,8 mm	RC5+
4034T11RC6	Carbone Lorraine	10,8 mm	RC6
4034T11RC8	Carbone Lorraine	10,8 mm	RC8
4007RC5	Carbone Lorraine	18,0 mm	RC5+
4007RC6	Carbone Lorraine	18,0 mm	RC6
4007RC8	Carbone Lorraine	18,0 mm	RC8
FCP558H	Ferodo	12,0 mm	DS2500
FCP558R	Ferodo	12,0 mm	DS3000
FCP393R	Ferodo	17,5 mm	DS3000
E1610R42	Pagid	12,0 mm	RS 4-2
E1616RST1	Pagid	16,0 mm	RST1
E1616RST2	Pagid	16,0 mm	RST2
E1616RST3	Pagid	16,0 mm	RST3
E1616RST4	Pagid	16,0 mm	RST4
E1609R42	Pagid	17,5 mm	RS 4-2
E1609R44	Pagid	17,5 mm	RS 4-4





Codice	Marca	Spessore	Mescola*
CP5788D48-APF402	AP Racing	20,0 mm	APF402
5036W50T17.5RC5	Carbone Lorraine	17,5 mm	RC5+
5036W50T17.5RC6	Carbone Lorraine	17,5 mm	RC6
5036W50T17.5RC8	Carbone Lorraine	17,5 mm	RC8
5036W50T17.5RC6E	Carbone Lorraine	17,5 mm	RC6 Endurance
5036W50T17.5RC8R	Carbone Lorraine	17,5 mm	RC8
5011W50T20RC5	Carbone Lorraine	20,0 mm	RC5+
5011W50T20RC6	Carbone Lorraine	20,0 mm	RC6
5011W50T20RC8	Carbone Lorraine	20,0 mm	RC8
5011W50T20RC8R	Carbone Lorraine	20,0 mm	RC8-R
5011W50T25RC5	Carbone Lorraine	25,0 mm	RC5+
5011W50T25RC8	Carbone Lorraine	25,0 mm	RC8
FRP3024R	Ferodo	20,0 mm	DS3000
FRP3029R	Ferodo	25,0 mm	DS3000
FRP3029W	Ferodo	26,0 mm	DS1.11
FRP3029Z	Ferodo	26,0 mm	DSUNO
E8030R42	Pagid	17,0 mm	RS 4-2
E8030RST1	Pagid	17,0 mm	RST1
E8030RST2	Pagid	17,0 mm	RST2
E8030RST3	Pagid	17,0 mm	RST3
E8030RST4	Pagid	17,0 mm	RST4
E1896R14	Pagid	20,0 mm	RS 14
E1896R29	Pagid	20,0 mm	RS 29
E1896RSL1	Pagid	20,0 mm	RSL1
E1896RST1	Pagid	20,0 mm	RST1

Codice	Marca	Spessore	Miscola*
E1896RST2	Pagid	20,0 mm	RST2
E1896RST3	Pagid	20,0 mm	RST3
E1896RST4	Pagid	20,0 mm	RST4
E1619R14	Pagid	25,0 mm	RS 14
E1619R19	Pagid	25,0 mm	RS 19
E1619R29	Pagid	25,0 mm	RS 29
E1619R42	Pagid	25,0 mm	RS 4-2
E1619R44	Pagid	25,0 mm	RS 4-4
E1619RSL1	Pagid	25,0 mm	RSL1
E1619RST1	Pagid	25,0 mm	RST1
E1619RST2	Pagid	25,0 mm	RST2
E1619RST3	Pagid	25,0 mm	RST3
E1619RST4	Pagid	25,0 mm	RST4
E1618R29	Pagid	28,0 mm	RS 29
E1618RSL1	Pagid	28,0 mm	RSL1





Codice	Marca	Spessore	Miscola*
4115T12.6RC5	Carbone Lorraine	12,6 mm	RC5+
4115T12.6RC6	Carbone Lorraine	12,6 mm	RC6
4115T12.6RC8	Carbone Lorraine	12,6 mm	RC8
FCP1560H	Ferodo	12,9 mm	DS2500
FCP1560R	Ferodo	12,9 mm	DS3000
FCP1560W	Ferodo	12,9 mm	DS1.11
E1682R14	Pagid	13,0 mm	RS 14
E1682R42	Pagid	13,0 mm	RS 4-2
E1682RST3	Pagid	13,0 mm	RST3

Codice	Marca	Spessore	Miscola*
CP2340D43-APF401	AP Racing	15,9 mm	APF401
CP2340D43-APF403	AP Racing	15,9 mm	APF403
CP2340D43-APF404	AP Racing	15,9 mm	APF404
CP3345D44-APF401	AP Racing	16,0 mm	APF401
CP3345D44-APF403	AP Racing	16,0 mm	APF403
CP3345D44-APF404	AP Racing	16,0 mm	APF404
5003W40T16RC5	Carbone Lorraine	16,0 mm	RC5+
5003W40T16RC6	Carbone Lorraine	16,0 mm	RC6
5003W40T16RC6E	Carbone Lorraine	16,0 mm	RC6 Endurance
5003W40T16RC8	Carbone Lorraine	16,0 mm	RC8
5003W40T16RC8R	Carbone Lorraine	16,0 mm	RC8-R
FRP218C	Ferodo	16,0 mm	FER4003
FRP218H	Ferodo	16,0 mm	DS2005
FRP218R	Ferodo	16,0 mm	DS3000
FRP218W	Ferodo	16,0 mm	DS1.11
FRP219C	Ferodo	16,0 mm	FER4003
FRP219H	Ferodo	16,0 mm	DS2500
FRP219R	Ferodo	16,0 mm	DS3000
FRP219W	Ferodo	16,0 mm	DS1.11
FRP219Z	Ferodo	16,0 mm	DSUNO
E1749R14	Pagid	16,0 mm	RS 14
E1749R29	Pagid	16,0 mm	RS 29
E1749RH03	Pagid	16,0 mm	RSH 3
E1749RH42	Pagid	16,0 mm	RSH 42
E1749RST1	Pagid	16,0 mm	RST1
E1749RST2	Pagid	16,0 mm	RST2
E1749RST4	Pagid	16,0 mm	RST4






Codice	Marca	Spessore	Miscola*
4017RC5	Carbone Lorraine	15,5 mm	RC5+
4017RC6	Carbone Lorraine	15,5 mm	RC6
4017RC6E	Carbone Lorraine	15,5 mm	CR6 Endurance
4017RC8	Carbone Lorraine	15,5 mm	RC8
4017RC8R	Carbone Lorraine	15,5 mm	RC8-R
FCP876R	Ferodo	16,5 mm	DS3000
E1620R42	Pagid	16,5 mm	RS 4-2
E1620RST3	Pagid	16,5 mm	RST3

Codice	Marca	Spessore	Miscola*
4027RC5	Carbone Lorraine	18,7 mm	RC5+
4027RC6	Carbone Lorraine	18,7 mm	RC6
FCP406H	FERODO	17,7 mm	DS2500
FCP406R	FERODO	17,7 mm	DS3000
FCP406X	FERODO	17,7 mm	DS2.11
E1702R14	Pagid	19,0 mm	RS 14
E1702R29	Pagid	19,0 mm	RS 29
E1702R42	Pagid	19,0 mm	RS 4-2
E1702R44	Pagid	19,0 mm	RS 4-4
E1702RST3	Pagid	19,0 mm	RST3



Codice	Marca	Spessore	Miscola*
4046RC5	Carbone Lorraine	17,5 mm	RC5+
4046RC6	Carbone Lorraine	17,5 mm	RC6
4046RC8	Carbone Lorraine	17,5 mm	RC8
FCP685R	Ferodo	19,0 mm	DS3000
E1675R19	Pagid	19,0 mm	RS 19
E1675R29	Pagid	19,0 mm	RS 29
E1675R42	Pagid	19,0 mm	RS 4-2


Codice	Marca	Spessore	Miscola*
E1703RH42	Pagid	12,0 mm	RSH 42



Codice	Marca	Spessore	Miscola*
4031RC5	Carbone Lorraine	19,0 mm	RC5+
4031RC6	Carbone Lorraine	19,0 mm	RC6
4031RC6E	Carbone Lorraine	19,0 mm	RC6 Endurance
4031RC8	Carbone Lorraine	19,0 mm	RC8
4031RC8R	Carbone Lorraine	19,0 mm	RC8-R
FCP590R	Ferodo	19,5 mm	DS3000
E1678R42	Pagid	19,5 mm	RS 4-2
E1678R44	Pagid	19,5 mm	RS 4-4

Codice	Marca	Spessore	Miscola*
4011RC5	Carbone Lorraine	16,0 mm	RC5+
4011RC6	Carbone Lorraine	16,0 mm	RC6
4011RC8	Carbone Lorraine	16,0 mm	RC8
4011RC8R	Carbone Lorraine	16,0 mm	RC8-R
FCP774R	Ferodo	16,0 mm	DS3000
FCP775R	Ferodo	19,5 mm	DS3000
E1743R14	Pagid	16,0 mm	RS 14
E1743R42	Pagid	16,0 mm	RS 4-2
E1744RH29	Pagid	19,5 mm	RSH 29E
E1744RH42	Pagid	19,5 mm	RSH 42


Codice	Marca	Spessore	Miscola*
5009W46T18RC5	Carbone Lorraine	18,0 mm	RC5+
5009W46T18RC6	Carbone Lorraine	18,0 mm	RC6
5009W46T18RC6E	Carbone Lorraine	18,0 mm	RC6 Endurance
5009W46T18RC8	Carbone Lorraine	18,0 mm	RC8
5009W46T18RC8R	Carbone Lorraine	18,0 mm	RC8-R
5009W46T25RC6	Carbone Lorraine	25,0 mm	RC6
5009W46T25RC8	Carbone Lorraine	25,0 mm	RC8
FRP3000H	Ferodo	18,0 mm	DS2500
FRP3000R	Ferodo	18,0 mm	DS3000
FRP3000X	Ferodo	18,0 mm	DS2.11
FRP1060R	Ferodo	25,0 mm	DS3000
FRP1060Z	Ferodo	25,0 mm	DSUNO
E1852R14	Pagid	18,0 mm	RS 14
E1852R19	Pagid	18,0 mm	RS 19
E1852R29	Pagid	18,0 mm	RS 29
E1852R42	Pagid	18,0 mm	RS 4-2
E1852RSL1	Pagid	18,0 mm	RSL1
E1852RST3	Pagid	18,0 mm	RST3
E1813R14	Pagid	25,0 mm	RS 14
E1813R29	Pagid	25,0 mm	RS 29
E1813RSL1	Pagid	25,0 mm	RSL1
E1813RST4	Pagid	25,0 mm	RST4




Codice	Marca	Spessore	Mescola*
4005T17RC5	Carbone Lorraine	17,0 mm	RC5+
4005T17RC6	Carbone Lorraine	17,0 mm	RC6
4005T17RC6E	Carbone Lorraine	17,0 mm	RC6 Endurance
4005T17RC8	Carbone Lorraine	17,0 mm	RC8
4005T17RC8R	Carbone Lorraine	17,0 mm	RC8-R
4005T24RC5	Carbone Lorraine	24,0 mm	RC5+
4005T24RC6	Carbone Lorraine	24,0 mm	RC6
4005T24RC6E	Carbone Lorraine	24,0 mm	RC6 Endurance
4005T24RC8	Carbone Lorraine	24,0 mm	RC8
FCP891R	Ferodo	18,0 mm	DS3000
FRP3042R	Ferodo	26,5 mm	DS3000
FRP3042W	Ferodo	26,5 mm	DS1.11
E1842R14	Pagid	18,0 mm	RS 14
E1842R19	Pagid	18,0 mm	RS 19
E1842R29	Pagid	18,0 mm	RS 29
E1842R42	Pagid	18,0 mm	RS 4-2
E1842R44	Pagid	18,0 mm	RS 4-4
E1842RSL1	Pagid	18,0 mm	RSL1
E1842RST3	Pagid	18,0 mm	RST3
E8090R14	Pagid	22,0 mm	RS 14
E8090RSL1	Pagid	22,0 mm	RSL1
E8090RST2	Pagid	22,0 mm	RST2
E1908R14	Pagid	24,0 mm	RS 14
E1908R19	Pagid	24,0 mm	RS 19
E1908R29	Pagid	24,0 mm	RS 29
E1908R42	Pagid	24,0 mm	RS 4-2
E1908RSL1	Pagid	24,0 mm	RSL1
E1908RST1	Pagid	24,0 mm	RST1
E1908RST2	Pagid	24,0 mm	RST2
E1908RST3	Pagid	24,0 mm	RST3
E2703R29	Pagid	26,5 mm	RS 29




Codice	Marca	Spessore	Mescola*
4086RC5	Carbone Lorraine	17,0 mm	RC5+
4086RC6	Carbone Lorraine	17,0 mm	RC6
4086RC8	Carbone Lorraine	17,0 mm	RC8
FCP1283R	Ferodo	14,5 mm	DS3000
E1897R42	Pagid	14,5 mm	RS 4-2




Codice	Marca	Spessore	Mescola*
5013W45T18RC6	Carbone Lorraine	18,0 mm	RC6
5013W45T18RC8	Carbone Lorraine	18,0 mm	RC8
5013W45T18RC8R	Carbone Lorraine	18,0 mm	RC8-R
5013W45T20RC6	Carbone Lorraine	20,0 mm	RC6
5013W45T20RC8R	Carbone Lorraine	20,0 mm	RC8-R
FRP1064R	Ferodo	20,0 mm	DS3000




Codice	Marca	Spessore	Mescola*
FRP1059R	Ferodo	22,0 mm	DS3000
E2105R29	Pagid	22,0 mm	RS 29
E2782R19	Pagid	26,5 mm	RS 19




Codice	Marca	Spessore	Mescola*
5004W42T17RC5	Carbone Lorraine	17,0 mm	RC5+
5004W42T17RC6	Carbone Lorraine	17,0 mm	RC6
5004W42T17RC6E	Carbone Lorraine	17,0 mm	RC6 Endurance
5004W42T17RC8	Carbone Lorraine	17,0 mm	RC8
5004W42T17RC8R	Carbone Lorraine	17,0 mm	RC8-R
FRP3018H	Ferodo	17,0 mm	DS2500
FRP3018R	Ferodo	17,0 mm	DS3000
FRP3018W	Ferodo	17,0 mm	DS1.11
E2126R29	Pagid	17,0 mm	RS 29
E2126R42	Pagid	17,0 mm	RS 4-2
E2126RSL1	Pagid	17,0 mm	RSL1
E2126RST1	Pagid	17,0 mm	RST1
E2126RST3	Pagid	17,0 mm	RST3




Codice	Marca	Spessore	Mescola*
5007W43T16RC5	Carbone Lorraine	16,0 mm	RC5+
5007W43T16RC6	Carbone Lorraine	16,0 mm	RC6
5007W43T16RC6E	Carbone Lorraine	16,0 mm	RC6 Endurance
5007W43T16RC8	Carbone Lorraine	16,0 mm	RC8
5007W43T16RC8R	Carbone Lorraine	16,0 mm	RC8-R
E2127R14	Pagid	16,0 mm	RS 14
E2127R29	Pagid	16,0 mm	RS 29
E2127R42	Pagid	16,0 mm	RS 4-2
E2127R44	Pagid	16,0 mm	RS 4-4
E2127RSL1	Pagid	16,0 mm	RSL1
E2127RST3	Pagid	16,0 mm	RST3
E2127RST4	Pagid	16,0 mm	RST4




Codice	Marca	Spessore	Mescola*
E2130R42	Pagid	19,0 mm	RS 4-2




Codice	Marca	Spessore	Mescola*
4104RC5	Carbone Lorraine	16,5 mm	RC5+
4104RC6	Carbone Lorraine	16,5 mm	RC6
4104RC6E	Carbone Lorraine	16,5 mm	RC6 Endurance
4104RC8	Carbone Lorraine	16,5 mm	RC8
FCP725R	Ferodo	16,4 mm	DS3000
E2180R29	Pagid	17,2 mm	RS 29
E2180RST1	Pagid	17,2 mm	RST1
E2180RST3	Pagid	17,2 mm	RST3






Codice	Marca	Spessore	Mescola*
FCP1629H	Ferodo	20,2 mm	DS2500
E2275R29	Pagid	19,5 mm	RS 29



Codice	Marca	Spessore	Mescola*
E2388R14	Pagid	18,5 mm	RS 14





Codice	Marca	Spessore	Mescola*
4050T18.5RC5	Carbone Lorraine	18,5 mm	RC5+
4050T18.5RC6	Carbone Lorraine	18,5 mm	RC6
4050T18.5RC6E	Carbone Lorraine	18,5 mm	RC6 Endurance
4050T18.5RC8	Carbone Lorraine	18,5 mm	RC8
4050T18.5RC8R	Carbone Lorraine	18,5 mm	RC8-R
FRP3051H	Ferodo	18,5 mm	DS2500
FRP3051R	Ferodo	18,5 mm	DS3000
FRP3051W	Ferodo	18,5 mm	DS1.11
E2405R14	Pagid	18,5 mm	RS 14
E2405R19	Pagid	18,5 mm	RS 19
E2405R29	Pagid	18,5 mm	RS 29
E2405R42	Pagid	18,5 mm	RS 4-2
E2405R44	Pagid	18,5 mm	RS 4-4
E2405RSC1	Pagid	18,5 mm	RSC1
E2405RSC3	Pagid	18,5 mm	RSC3
E2405RSL1	Pagid	18,5 mm	RSL1
E2405RSL2	Pagid	18,5 mm	RSL2
E2405RST3	Pagid	18,5 mm	RST3
E2405RST4	Pagid	18,5 mm	RST4



Codice	Marca	Spessore	Mescola*
4049RC5	Carbone Lorraine	15,3 mm	RC5+
4049RC6	Carbone Lorraine	15,3 mm	RC6
4049RC6E	Carbone Lorraine	15,3 mm	RC6 Endurance
4049RC8	Carbone Lorraine	15,3 mm	RC8
4049RC8R	Carbone Lorraine	15,3 mm	RC8-R
FCP1308R	Ferodo	15,5 mm	DS3000
E2406R14	Pagid	15,5 mm	RS 14
E2406R19	Pagid	15,5 mm	RS 19
E2406R29	Pagid	15,5 mm	RS 29
E2406R42	Pagid	15,5 mm	RS 4-2
E2406R44	Pagid	15,5 mm	RS 4-4
E2406RSL1	Pagid	15,5 mm	RSL1
E2406RSL2	Pagid	15,5 mm	RSL2
E2406RST3	Pagid	15,5 mm	RST3


Codice	Marca	Spessore	Mescola*
4055RC5	Carbon Lorraine	18,5 mm	RC5+
4055RC6	Carbon Lorraine	18,5 mm	RC6
4055RC6E	Carbon Lorraine	18,5 mm	RC6 Endurance
4055RC8	Carbon Lorraine	18,5 mm	RC8
4055RC8R	Carbon Lorraine	18,5 mm	RC8-R
FRP3050H	Ferodo	18,5 mm	DS2500
FRP3050R	Ferodo	18,5 mm	DS3000
E2474R14	Pagid	18,5 mm	RS 14
E2474R19	Pagid	18,5 mm	RS 19
E2474R29	Pagid	18,5 mm	RS 29
E2474R42	Pagid	18,5 mm	RS 4-2
E2474R44	Pagid	18,5 mm	RS 4-4
E2474RST3	Pagid	18,5 mm	RST3

Codice	Marca	Spessore	Mescola*
5018W51T29RC5	Carbone Lorraine	29,0 mm	RC5+
5018W51T29RC6	Carbone Lorraine	29,0 mm	RC6
5018W51T29RC6E	Carbone Lorraine	29,0 mm	RC6 Endurance
5018W51T29RC8	Carbone Lorraine	29,0 mm	RC8
5018W51T29RC8R	Carbone Lorraine	29,0 mm	RC8-R
FRP3123Z	Ferodo	21,5 mm	DSUNO
FRP3031R	Ferodo	29,0 mm	DS3000
FRP3031W	Ferodo	29,0 mm	DS1.11
FRP3031X	Ferodo	29,0 mm	DS2.11
FRP3031Z	Ferodo	29,0 mm	DSUNO
E2687RSL1	Pagid	20,0 mm	RSL1
E8038R14	Pagid	22,0 mm	RS 14
E8038R19	Pagid	22,0 mm	RS 19
E8038R29	Pagid	22,0 mm	RS 29
E8038RSL1	Pagid	22,0 mm	RSL1
E8038RSL2	Pagid	22,0 mm	RSL2
E8038RST1	Pagid	22,0 mm	RST1
E8038RST2	Pagid	22,0 mm	RST2
E8038RST3	Pagid	22,0 mm	RST3
E8087R14	Pagid	25,0 mm	RS 14
E8087R29	Pagid	25,0 mm	RS 29
E8087RSL1	Pagid	25,0 mm	RSL1
E8087RSL2	Pagid	25,0 mm	RSL2
E8087RST1	Pagid	25,0 mm	RST1
E8087RST2	Pagid	25,0 mm	RST2
E8087RST3	Pagid	25,0 mm	RST3
E2488R14	Pagid	29,0 mm	RS 14
E2488R19	Pagid	29,0 mm	RS 19
E2488R29	Pagid	29,0 mm	RS 29
E2488RSL1	Pagid	29,0 mm	RSL1
E2488RSL2	Pagid	29,0 mm	RSL2
E2488RST1	Pagid	29,0 mm	RST1
E2488RST2	Pagid	29,0 mm	RST2
E2488RST3	Pagid	29,0 mm	RST3
E2488RST4	Pagid	29,0 mm	RST4
E8173R29	Pagid	31,0 mm	RS 29
E8173RSL1	Pagid	31,0 mm	RSL1
E8173RSL2	Pagid	31,0 mm	RSL2




Codice	Marca	Spessore	Mescola*
FCP1307R	Ferodo	15,5 mm	DS3000
E2407R14	Pagid	15,5 mm	RS 14
E2407R29	Pagid	15,5 mm	RS 29
E2407R42	Pagid	15,5 mm	RS 4-2
E2407R44	Pagid	15,5 mm	RS 4-4
E2407RST3	Pagid	15,5 mm	RST3

Codice	Marca	Spessore	Mescola*
FRP3067H	Ferodo	14,7 mm	DS2500
FRP3067R	Ferodo	14,7 mm	DS3000
FRP3067W	Ferodo	14,7 mm	DS1.11
FCP1334R	Ferodo	16,0 mm	DS3000
E2487R14	Pagid	15,4 mm	RS 14
E2487R19	Pagid	15,4 mm	RS 19
E2487R29	Pagid	15,4 mm	RS 29
E2487R42	Pagid	15,4 mm	RS 4-2
E2487RSC1	Pagid	15,4 mm	RSC1
E2487RSL1	Pagid	15,4 mm	RSL1
E2487RST1	Pagid	15,4 mm	RST1
E2487RST2	Pagid	15,4 mm	RST2
E2487RST3	Pagid	15,4 mm	RST3




Codice	Marca	Spessore	Mescola*
4052RC5	Carbone Lorraine	14,3 mm	RC5+
4052RC6	Carbone Lorraine	14,3 mm	RC6
4052RC6E	Carbone Lorraine	14,3 mm	RC6 Endurance
4052RC8	Carbone Lorraine	14,3 mm	RC8
4052RC8R	Carbone Lorraine	14,3 mm	RC8-R
FCP1280R	Ferodo	15,5 mm	DS3000
E2445R14	Pagid	15,5 mm	RS 14
E2445R19	Pagid	15,5 mm	RS 19
E2445R42	Pagid	15,5 mm	RS 4-2




Codice	Marca	Spessore	Mescola*
5022W39T20RC5	Carbone Lorraine	20,0 mm	RC5+
5022W39T20RC6	Carbone Lorraine	20,0 mm	RC6
5022W39T20RC8	Carbone Lorraine	20,0 mm	RC8
5022W39T20RC8R	Carbone Lorraine	20,0 mm	RC8-R
FRP501R	Ferodo	20,0 mm	DS3000
E8195RSC1	Pagid	17,0 mm	RSC1
E2555R14	Pagid	20,0 mm	RS 14
E2555R29	Pagid	20,0 mm	RS 29
E2555RSL1	Pagid	20,0 mm	RSL1
E2555RST1	Pagid	20,0 mm	RST1
E2555RST2	Pagid	20,0 mm	RST2
E2555RST3	Pagid	20,0 mm	RST3
E2555RST4	Pagid	20,0 mm	RST4







Codice	Marca	Spessore	Mescola*
CP6210D54-APF402	AP Racing	30,0 mm	APF402
FRP3039R	Ferodo	26,5 mm	DS3000
FRP3055R	Ferodo	30,0 mm	DS3000
FRP3055W	Ferodo	30,0 mm	DS1.11
FRP3055X	Ferodo	30,0 mm	DS2.11
FRP3055Z	Ferodo	30,0 mm	DSUNO
E2688R14	Pagid	26,5 mm	RS 14
E2688R19	Pagid	26,5 mm	RS 19
E2688R29	Pagid	26,5 mm	RS 29
E2688RSL1	Pagid	26,5 mm	RSL1
E2688RST1	Pagid	26,5 mm	RST1
E2688RST2	Pagid	26,5 mm	RST2
E2688RST3	Pagid	26,5 mm	RST3
E2688RST4	Pagid	26,5 mm	RST4
E2557R14	Pagid	29,0 mm	RS 14
E2557R19	Pagid	29,0 mm	RS 19
E2557R29	Pagid	29,0 mm	RS 29
E2557RSL1	Pagid	29,0 mm	RSL1
E2557RSL2	Pagid	29,0 mm	RSL2
E2557RST1	Pagid	29,0 mm	RST1
E2557RST2	Pagid	29,0 mm	RST2
E2557RST3	Pagid	29,0 mm	RST3
E2557RST4	Pagid	29,0 mm	RST4
E2558RSL1	Pagid	31,0 mm	RSL1
E2559RSL1	PAGID	32,0 mm	RSL1
E2559RSL2	PAGID	32,0 mm	RSL2




Codice	Marca	Spessore	Mescola*
4044RC5	Carbone Lorraine	17,0 mm	RC5+
4044RC6	Carbone Lorraine	17,0 mm	RC6
4044RC8	Carbone Lorraine	17,0 mm	RC8
FCP905R	Ferodo	17,3 mm	DS3000
E2623R29	Pagid	17,3 mm	RS 29
E2623R42	Pagid	17,3 mm	RS 4-2




Codice	Marca	Spessore	Mescola*
FCP856H	Ferodo	19,0 mm	DS2500
E2683R19	Pagid	19,0 mm	RS 19
E2683R29	Pagid	19,0 mm	RS 29




Codice	Marca	Spessore	Mescola*
FCP857H	Ferodo	17,0 mm	DS2500
FCP857R	Ferodo	17,0 mm	DS3000
FCP1483H	Ferodo	17,2 mm	DS2500
FCP1483R	Ferodo	17,2 mm	DS3000
E2685R19	Pagid	17,0 mm	RS 19
E2685R29	Pagid	17,0 mm	RS 29
E2685RSL1	Pagid	17,0 mm	RSL1
E2685RST1	Pagid	17,0 mm	RST1
E2685RST2	Pagid	17,0 mm	RST2
E2685RST3	Pagid	17,0 mm	RST3
E2685RST4	Pagid	17,0 mm	RST4



Codice	Marca	Spessore	Mescola*
E2562R29	Pagid	17,5 mm	RS 29




Codice	Marca	Spessore	Mescola*
4060T14RC5	Carbone Lorraine	14,0 mm	RC5+
4060T14RC6	Carbone Lorraine	14,0 mm	RC6
4060T14RC6E	Carbone Lorraine	14,0 mm	RC6 Endurance
4060T14RC8	Carbone Lorraine	14,0 mm	RC6 Endurance
FCP1562H	Ferodo	14,6 mm	DS2500
FCP1562M	Ferodo	14,6 mm	DS3000+
FCP1562R	Ferodo	14,6 mm	DS3000
FCP1562W	Ferodo	14,6 mm	DS1.11
FCP1562X	Ferodo	14,6 mm	DS2.11
FCP116R	Ferodo	16,5 mm	DS3000
E2593R14	Pagid	14,6 mm	RS 14
E4507R42	Pagid	16,5 mm	RS 4-2
E4507RH42	Pagid	16,5 mm	RSH 42




Codice	Marca	Spessore	Mescola*
4075RC5	Carbone Lorraine	18,0 mm	RC5+
4075RC6	Carbone Lorraine	18,0 mm	RC6
4075RC6E	Carbone Lorraine	18,0 mm	RC6 Endurance
4075RC8	Carbone Lorraine	18,0 mm	RC8
4075RC8R	Carbone Lorraine	18,0 mm	RC8-R
FRP3075E	Ferodo	18,0 mm	DS3000 Endurance
FRP3075H	Ferodo	18,0 mm	DS2500
FRP3075W	Ferodo	18,0 mm	DS1.11
FRP3075X	Ferodo	18,0 mm	DS2.11


Codice	Marca	Spessore	Mescola*
E2707R14	Pagid	18,0 mm	RS 14
E2707R19	Pagid	18,0 mm	RS 19
E2707R29	Pagid	18,0 mm	RS 29
E2707R44	Pagid	18,0 mm	RS 4-4
E2707RSC1	Pagid	18,0 mm	RSC1
E2707RSC3	Pagid	18,0 mm	RSC3
E2707RST4	Pagid	18,0 mm	RST4




Codice	Marca	Spessore	Mescola*
E2830R29	Pagid	20,0 mm	RS 29
E2830R44	Pagid	20,0 mm	RS 4-4




Codice	Marca	Spessore	Mescola*
E2845R29	Pagid	16,0 mm	RS 29




Codice	Marca	Spessore	Mescola*
5024W56T17RC5	Carbone Lorraine	17,0 mm	RC5+
5024W56T17RC6	Carbone Lorraine	17,0 mm	RC6
5024W56T17RC6E	Carbone Lorraine	17,0 mm	RC6 Endurance
FCP1664R	Ferodo	16,5 mm	DS3000
FCP1664H	Ferodo	17,0 mm	DS2500
FCP1664W	Ferodo	17,0 mm	DS1.11
FCP1664X	Ferodo	17,0 mm	DS2.11
E2931R14	Pagid	16,5 mm	RS 14
E2931R29	Pagid	16,5 mm	RS 29
E2931R42	Pagid	16,5 mm	RS 4-2
E2931RSL1	Pagid	16,5 mm	RSL1
E2931RST1	Pagid	16,5 mm	RST1
E2931RST3	Pagid	16,5 mm	RST3




Codice	Marca	Spessore	Mescola*
E2959R29	Pagid	17,3 mm	RS 29




Codice	Marca	Spessore	Mescola*
5002W43T14RC5	Carbone Lorraine	14,0 mm	RC5+
5002W43T14RC6	Carbone Lorraine	14,0 mm	RC6
5002W43T14.5RC6	Carbone Lorraine	14,5 mm	RC6
5002W43T14.5RC8	Carbone Lorraine	14,5 mm	RC8
5002W43T14.5RC6E	Carbone Lorraine	14,5 mm	RC6 Endurance
FCP809R	Ferodo	14,4 mm	DS3000
E3102R14	Pagid	14,4 mm	RS 14
E3102R42	Pagid	14,4 mm	RS 4-2
E3102R44	Pagid	14,4 mm	RS 4-4
E3102RH03	Pagid	14,4 mm	RSH 3
E3102RH29	Pagid	14,4 mm	RSH 29E
E3102RST4	Pagid	14,4 mm	RST4




Codice	Marca	Spessore	Mescola*
5002W48T14RC5	Carbone Lorraine	14,0 mm	RC5+
5002W48T14RC6	Carbone Lorraine	14,0 mm	RC6
5002W48T14RC8	Carbone Lorraine	14,0 mm	RC8
5002W48T14RC8R	Carbone Lorraine	14,0 mm	RC8-R
FCP810R	Ferodo	14,4 mm	DS3000
E3190RH29	Pagid	14,4 mm	RS 29E
E3190RH42	Pagid	14,4 mm	RS 42




Codice	Marca	Spessore	Mescola*
4010RC5	Carbone Lorraine	16,5 mm	RC5+
4010RC6	Carbone Lorraine	16,5 mm	RC6
4010RC8	Carbone Lorraine	16,5 mm	RC8
FCP596R	Ferodo	15,5 mm	DS3000
E3242RH42	Pagid	15,5 mm	RSH 42




Codice	Marca	Spessore	Mescola*
4021RC5	Carbone Lorraine	15,5 mm	RC5+
4021RC6	Carbone Lorraine	15,5 mm	RC6
4021RC8	Carbone Lorraine	15,5 mm	RC8
4021RC8R	Carbone Lorraine	15,5 mm	RC8-R
FCP392R	Ferodo	15,5 mm	DS3000
E4011R29	Pagid	15,5 mm	RS 29




Codice	Marca	Spessore	Mescola*
4004T15RC5	Carbone Lorraine	15,0 mm	RC5+
4004T15RC6	Carbone Lorraine	15,0 mm	RC6
4004T15RC6E	Carbone Lorraine	15,0 mm	RC6 Endurance
4004T15RC8	Carbone Lorraine	15,0 mm	RC8
FCP2C	Ferodo	15,0 mm	FER4003
FCP2E	Ferodo	15,0 mm	DS3000 Endurance
FCP2H	Ferodo	15,0 mm	DS2500
FCP2R	Ferodo	15,0 mm	DS3000
E4304R14	Pagid	15,0 mm	RS 14
E4304R44	Pagid	15,0 mm	RS 4-4
E4304RH03	Pagid	15,0 mm	RSH 3
E4304RH29	Pagid	15,0 mm	RSH 29E
E4304RH42	Pagid	15,0 mm	RSH 42
E2723RH29	Pagid	18,0 mm	RSH 29E



Codice	Marca	Spessore	Mescola*
4003T15RC5	Carbone Lorraine	15,0 mm	RC5+
4003T15RC6	Carbone Lorraine	15,0 mm	RC6
4003T15RC6E	Carbone Lorraine	15,0 mm	RC6 Endurance
4003T15RC8	Carbone Lorraine	15,0 mm	RC8
4003T19RC6	Carbone Lorraine	19,0 mm	RC6
FCP11H	Ferodo	15,0 mm	DS2500
FCP11M	Ferodo	15,0 mm	DS3000+
FCP11R	Ferodo	15,0 mm	DS3000
FCP11W	Ferodo	15,0 mm	DS1.11
FCP11Z	Ferodo	15,0 mm	DSUNO
E4501R14	Pagid	15,0 mm	RS 14
E4501R44	Pagid	15,0 mm	RS 4-4
E4501RH03	Pagid	15,0 mm	RSH 3
E4501RH29	Pagid	15,0 mm	RSH 29E
E4501RH42	Pagid	15,0 mm	RSH 42
E4503RH29	Pagid	19,0 mm	RSH 29E
E4503RH42	Pagid	19,0 mm	RSH 42




Codice	Marca	Spessore	Mescola*
E4634RH42	Pagid	15,0 mm	RSH 42
E4623RH42	Pagid	18,5 mm	RSH 42




Codice	Marca	Spessore	Mescola*
4014T16.5RC5	Carbone Lorraine	16,5 mm	RC5+
4014T16.5RC6	Carbone Lorraine	16,5 mm	RC6
4014T16.5RC6E	Carbone Lorraine	16,5 mm	RC6 Endurance
4014T16.5RC8	Carbone Lorraine	16,5 mm	RC8
E4703RH29	Pagid	15,0 mm	RSH 29E
E4703RH42	Pagid	15,0 mm	RSH 42
E4702RH29	Pagid	19,0 mm	RSH 29E
E4702RH42	Pagid	19,0 mm	RSH 42



Codice	Marca	Spessore	Mescola*
4016RC5	Carbone Lorraine	18,0 mm	RC5+
4016RC6	Carbone Lorraine	18,0 mm	RC6
4016RC6E	Carbone Lorraine	18,0 mm	RC6 Endurance
4016RC8	Carbone Lorraine	18,0 mm	RC8
4016RC8R	Carbone Lorraine	18,0 mm	RC8-R
FCP206R	Ferodo	18,0 mm	DS3000
E4823R42	Pagid	18,0 mm	RS 4-2





Codice	Marca	Spessore	Mescola*
4000RC5	Carbone Lorraine	18,0 mm	RC5+
4000RC6	Carbone Lorraine	18,0 mm	RC6
4000RC6E	Carbone Lorraine	18,0 mm	RC6 Endurance
4000RC8	Carbone Lorraine	18,0 mm	RC8
4000RC8R	Carbone Lorraine	18,0 mm	RC8-R
FCP845R	Ferodo	18,0 mm	DS3000
E3276R42	Pagid	18,0 mm	RS 4-2



Codice	Marca	Spessore	Mescola*
4056RC5	Carbone Lorraine	15,0 mm	RC5+
4056RC6	Carbone Lorraine	15,0 mm	RC6
4056RC6E	Carbone Lorraine	15,0 mm	RC6 Endurance
FCP3R	Ferodo	14,7 mm	DS3000
E4122R44	Pagid	14,7 mm	RS 4-4
E4122RH29	Pagid	14,7 mm	RSH 29E
E4122RH42	Pagid	14,7 mm	RSH 42







Codice	Marca	Spessore	Mescola*
E8006R19	Pagid	19,0 mm	RS 19
E8006R29	Pagid	19,0 mm	RS 29
E8006RSC1	Pagid	19,0 mm	RSC1
E8006RSC3	Pagid	19,0 mm	RSC3
E8006RSL1	Pagid	19,0 mm	RSL1
E8006RSL2	Pagid	19,0 mm	RSL2
E8006RST1	Pagid	19,0 mm	RST1
E8006RST2	Pagid	19,0 mm	RST2
E8006RST3	Pagid	19,0 mm	RST3
E8006RST4	Pagid	19,0 mm	RST4

Codice	Marca	Spessore	Mescola*
4085RC5	Carbone Lorraine	15,5 mm	RC5+
4085RC6	Carbone Lorraine	15,5 mm	RC6
4085RC6E	Carbone Lorraine	15,5 mm	RC6 Endurance
4085RC8	Carbone Lorraine	15,5 mm	RC8
4085RC8R	Carbone Lorraine	15,5 mm	RC8-R
FCP167R	Ferodo	15,5 mm	DS3000
E4905RH03	Pagid	15,5 mm	RSH 3
E4905RH29	Pagid	15,5 mm	RSH 29E
E4905RH42	Pagid	15,5 mm	RSH 42



Codice	Marca	Spessore	Mescola*
4126RC5	Carbone Lorraine	18,0 mm	RC5+
4126RC6	Carbone Lorraine	18,0 mm	RC6
4126RC6E	Carbone Lorraine	18,0 mm	RC6 Endurance
4126RC8	Carbone Lorraine	18,0 mm	RC8
4126RC8R	Carbone Lorraine	18,0 mm	RC8-R
FRP3096H	Ferodo	19,0 mm	DS2500
FRP3096W	Ferodo	19,0 mm	DS1.11
FRP3096Z	Ferodo	19,0 mm	DSUNO
E8003R14	Pagid	17,5 mm	RS 14
E8003R19	Pagid	17,5 mm	RS 19
E8003R29	Pagid	17,5 mm	RS 29
E8003RSL1	Pagid	17,5 mm	RSL1
E8003RST1	Pagid	17,5 mm	RST1
E8004R14	Pagid	19,0 mm	RS 14
E8004R19	Pagid	19,0 mm	RS 19
E8004R29	Pagid	19,0 mm	RS 29
E8004RSL1	Pagid	19,0 mm	RSL1
E8004RSL2	Pagid	19,0 mm	RSL2
E8004RST1	Pagid	19,0 mm	RST1
E8004RST2	Pagid	19,0 mm	RST2
E8004RST3	Pagid	19,0 mm	RST3



Codice	Marca	Spessore	Mescola*
4083RC5	Carbone Lorraine	14,5 mm	RC5+
4083RC6	Carbone Lorraine	14,5 mm	RC6
4083RC8	Carbone Lorraine	14,5 mm	RC8
4070RC5	Carbone Lorraine	16,0 mm	RC5+
4070RC6	Carbone Lorraine	16,0 mm	RC6
4070RC6E	Carbone Lorraine	16,0 mm	RC6 Endurance
4070RC8	Carbone Lorraine	16,0 mm	RC8
4070RC8R	Carbone Lorraine	16,0 mm	RC8-R
FCP600R	Ferodo	16,8 mm	DS3000
FCP598R	Ferodo	17,0 mm	DS3000
E8010R29	Pagid	17,0 mm	RS 29





Codice	Marca	Spessore	Mescola*
5006W33T15RC5	Carbone Lorraine	15,0 mm	RC5+
5006W33T15RC6	Carbone Lorraine	15,0 mm	RC6
5006W33T15RC6E	Carbone Lorraine	15,0 mm	RC6 Endurance
5006W33T15RC8	Carbone Lorraine	15,0 mm	RC8
FRP3071C	Ferodo	16,0 mm	FER4003
FRP3071R	Ferodo	16,0 mm	DS3000
FRP3071W	Ferodo	16,0 mm	DS1.11
FRP3071Z	Ferodo	16,0 mm	DSUNO
E8000R29	Pagid	16,0 mm	RS 29
E8000R42	Pagid	16,0 mm	RS 4-2
E8000RST2	Pagid	16,0 mm	RST2
E8000RST4	Pagid	16,0 mm	RST4




Codice	Marca	Spessore	Mescola*
FRP3100H	Ferodo	16,1 mm	DS2500
FRP3100R	Ferodo	16,4 mm	DS3000
E8005R14	Pagid	16,4 mm	RS 14
E8005R19	Pagid	16,4 mm	RS 19
E8005RSL1	Pagid	16,4 mm	RSL1

Codice	Marca	Spessore	Mescola*
E8019R19	Pagid	20,0 mm	RS 19




Codice	Marca	Spessore	Mescola*
4122RC5	Carbone Lorraine	19,5 mm	RC5+
4122RC6	Carbone Lorraine	19,5 mm	RC6
4122RC6E	Carbone Lorraine	19,5 mm	RC6 Endurance
4122RC8	Carbone Lorraine	19,5 mm	RC8
4122RC8R	Carbone Lorraine	19,5 mm	RC8-R
FCP1641H	Ferodo	19,4 mm	DS2500
FCP1641W	Ferodo	19,4 mm	DS1.11
FCP1641X	Ferodo	19,4 mm	DS2.11
FCP1641Z	Ferodo	19,4 mm	DSUNO
E8001R29	Pagid	20,0 mm	RS 29
E8001R42	Pagid	20,0 mm	RS 4-2
E8001RST3	Pagid	20,0 mm	RST3




Codice	Marca	Spessore	Mescola*
FRP3095H	Ferodo	19,0 mm	DS2500
FRP3095W	Ferodo	19,0 mm	DS1.11
FRP3095Z	Ferodo	19,0 mm	DSUNO
E8008R19	Pagid	17,0 mm	RS 19
E8008R29	Pagid	17,0 mm	RS 29
E8008RSC1	Pagid	17,0 mm	RSC1
E8008RSL1	Pagid	17,0 mm	RSL1
E8008RST3	Pagid	17,0 mm	RST3
E8008RST4	Pagid	17,0 mm	RST4
E8006R14	Pagid	19,0 mm	RS 14


Codice	Marca	Spessore	Mescola*
E8021R19	Pagid	16,2 mm	RS 19
E8021R44	Pagid	16,2 mm	RS 4-4
E8021RSC1	Pagid	16,2 mm	RSC1
E8021RSC2	Pagid	16,2 mm	RSC2
E8021RSL1	Pagid	16,2 mm	RSL1
E8021RST1	Pagid	16,2 mm	RST1
E8021RST2	Pagid	16,2 mm	RST2
E8021RST4	Pagid	16,2 mm	RST4




Codice	Marca	Spessore	Mescola*
4098RC5	Carbone Lorraine	16,0 mm	RC5+
4098RC6	Carbone Lorraine	16,0 mm	RC6
4098RC6E	Carbone Lorraine	16,0 mm	RC6 Endurance
4098RC8	Carbone Lorraine	16,0 mm	RC8
4098RC8R	Carbone Lorraine	16,0 mm	RC8-R
FCP1667H	Ferodo	15,5 mm	DS2500
FCP1667R	Ferodo	15,5 mm	DS3000
FCP1667W	Ferodo	15,5 mm	DS1.11
FCP1667X	Ferodo	15,5 mm	DS2.11
FCP1667Z	Ferodo	15,5 mm	DSUNO
E8023R29	Pagid	15,5 mm	RS 29
E8023RSL1	Pagid	15,5 mm	RSL1
E8023RSL2	Pagid	15,5 mm	RSL2
E8023RST1	Pagid	15,5 mm	RST1
E8023RST2	Pagid	15,5 mm	RST2
E8023RST3	Pagid	15,5 mm	RST3
E8023RST4	Pagid	15,5 mm	RST4




Codice	Marca	Spessore	Mescola*
E8031R19	Pagid	16,0 mm	RS 19




Codice	Marca	Spessore	Mescola*
E8039R19	Pagid	16,8 mm	RS 19
E8039RSC1	Pagid	16,8 mm	RSC1
E8039RSC2	Pagid	16,8 mm	RSC2




Codice	Marca	Spessore	Mescola*
E8032RH03	Pagid	17,5 mm	RSH 3
E8032RH29	Pagid	17,5 mm	RSH 29E
E8032RH42	Pagid	17,5 mm	RSH 42




Codice	Marca	Spessore	Mescola*
4112RC5	Carbone Lorraine	16,0 mm	RC5+
4112RC6	Carbone Lorraine	16,0 mm	RC6
FRP202C	Ferodo	16,0 mm	FER4003
FRP202R	Ferodo	16,0 mm	DS3000
E8040RH03	Pagid	16,0 mm	RSH 3
E8040RH29	Pagid	16,0 mm	RSH 29E
E8040RH42	Pagid	16,0 mm	RSH 42




Codice	Marca	Spessore	Mescola*
5011W61T17.5RC5	Carbone Lorraine	17,5 mm	RC5+
5011W61T17.5RC6	Carbone Lorraine	17,5 mm	RC6
5011W61T17.5RC8	Carbone Lorraine	17,5 mm	RC8
5011W61T175RC6E	Carbone Lorraine	17,5 mm	RC6 Endurance
5011W61T175RC8R	Carbone Lorraine	17,5 mm	RC8-R
FRP3088R	Ferodo	17,5 mm	DS3000
FRP3088Z	Ferodo	17,5 mm	DSUNO
E8033RSL1	Pagid	17,5 mm	RSL1
E8033RST1	Pagid	17,5 mm	RST1
E8033RST2	Pagid	17,5 mm	RST2
E8033RST3	Pagid	17,5 mm	RST3
E8033RST4	Pagid	17,5 mm	RST4
E3277R29	Pagid	24,0 mm	RS 29
E3277RSL1	Pagid	24,0 mm	RSL1
E3279R29	Pagid	28,0 mm	RS 29
E3279RSL1	Pagid	28,0 mm	RSL1
E3279RST1	Pagid	28,0 mm	RST1
E3279RST2	Pagid	28,0 mm	RST2
E3278RST1	Pagid	30,0 mm	RST1




Codice	Marca	Spessore	Mescola*
E8027R29	Pagid	17,4 mm	RS 29





Codice	Marca	Spessore	Mescola*
FCP815R	Ferodo	15,5 mm	DS3000
E8041RH29	Pagid	15,5 mm	RSH 29E
E8041RH42	Pagid	15,5 mm	RSH 42



Codice	Marca	Spessore	Mescola*
CP5070D51-APF404	AP Racing	17,0 mm	APF404
5009W51T17RC6	Carbone Lorraine	17,0 mm	RC6
FRP3076H	Ferodo	17,0 mm	DS2500
E8028R19	Pagid	16,0 mm	RS 19
E8028R29	Pagid	16,0 mm	RS 29
E8028RST1	Pagid	16,0 mm	RST1
E8028RST3	Pagid	16,0 mm	RST3



Codice	Marca	Spessore	Mescola*
4114T16RC5	Carbone Lorraine	16,0 mm	RC5+
4114T16RC6	Carbone Lorraine	16,0 mm	RC6
FCP9R	Ferodo	16,0 mm	DS3000
E8042RH03	Pagid	16,0 mm	RSH 3
E8042RH29	Pagid	16,0 mm	RSH 29E
E8042RH42	Pagid	16,0 mm	RSH 42




Codice	Marca	Spessore	Mescola*
4032T15RC5	Carbone Lorraine	15,5 mm	RC5+
4032T15RC6	Carbone Lorraine	15,5 mm	RC6
4032T15RC6E	Carbone Lorraine	15,5 mm	RC6 Endurance
4032T15RC8	Carbone Lorraine	15,5 mm	RC8
FCP850R	Ferodo	16,5 mm	DS3000
E8035R29	Pagid	16,5 mm	RS 29
E8035R44	Pagid	16,5 mm	RS 4.4
E8035RSL1	Pagid	16,5 mm	RSL1




Codice	Marca	Spessore	Mescola*
E8029R29	Pagid	16,5 mm	RS 29


Codice	Marca	Spessore	Mescola*
FCP1626H	Ferodo	16,8 mm	DS2500
E8044RSL1	Pagid	18,0 mm	RSL1
E8044RST1	Pagid	18,0 mm	RST1
E8044RST2	Pagid	18,0 mm	RST2
E8044RST3	Pagid	18,0 mm	RST3
E8044RST4	Pagid	18,0 mm	RST4




Codice	Marca	Spessore	Mescola*
E8046R19	Pagid	17,2 mm	RS 19
E8046R44	Pagid	17,2 mm	RS 4-4




Codice	Marca	Spessore	Mescola*
E8056RH03	Pagid	17,0 mm	RSH 3
E8056RH29	Pagid	17,0 mm	RSH 29E




Codice	Marca	Spessore	Mescola*
E8061R29	Pagid	16,8 mm	RS 29





Codice	Marca	Spessore	Mescola*
E8049R05	Pagid	16,0 mm	RS 5
E8049R19	Pagid	16,0 mm	RS 19
E8049R29	Pagid	16,0 mm	RS 29
E8049RSL1	Pagid	16,0 mm	RSL1
E8049RST2	Pagid	16,0 mm	RST2
E8049RST3	Pagid	16,0 mm	RST3
E8049RST4	Pagid	16,0 mm	RST4
E8217RSL2	Pagid	17,0 mm	RSL2



Codice	Marca	Spessore	Mescola*
E8057RH03	Pagid	14,0 mm	RSH 3
E8057RH29	Pagid	14,0 mm	RSH 29E




Codice	Marca	Spessore	Mescola*
E8062R29	Pagid	16,8 mm	RS 29
E8062RSL1	Pagid	16,8 mm	RSL1




Codice	Marca	Spessore	Mescola*
E8058RH03	Pagid	22,0 mm	RSH 3
E8058RH42	Pagid	22,0 mm	RSH 42



Codice	Marca	Spessore	Mescola*
E8064R19	Pagid	19,5 mm	RS 19
E8064RST2	Pagid	19,5 mm	RST2
E8064RST3	Pagid	19,5 mm	RST3



Codice	Marca	Spessore	Mescola*
E8051R19	Pagid	17,3 mm	RS 19
E8051RSL1	Pagid	17,3 mm	RSL1




Codice	Marca	Spessore	Mescola*
E8067RH42	Pagid	15,0 mm	RSH 42



Codice	Marca	Spessore	Mescola*
E8053R19	Pagid	20,3 mm	RS 19
E8053RSC1	Pagid	20,3 mm	RSC1
E8053RSC2	Pagid	20,3 mm	RSC2
E8053RSL1	Pagid	20,3 mm	RSL1
E8053RST1	Pagid	20,3 mm	RST1
E8053RST2	Pagid	20,3 mm	RST2
E8053RST3	Pagid	20,3 mm	RST3



Codice	Marca	Spessore	Mescola*
E8059RH03	Pagid	25,0 mm	RSH 3
E8059RH29	Pagid	25,0 mm	RSH 29E

Codice	Marca	Spessore	Mescola*
E8067RH42	Pagid	15,0 mm	RSH 42




Codice	Marca	Spessore	Mescola*
CP7031D32-APF402	AP Racing	15,75 mm	APF402
E8060R42	Pagid	16,0 mm	RS 4-2
E8060RST1	Pagid	16,0 mm	RST1
E8060RST2	Pagid	16,0 mm	RST2
E8060RST3	Pagid	16,0 mm	RST3
E8060RST4	Pagid	16,0 mm	RST4

Codice	Marca	Spessore	Mescola*
E8068RH29	Pagid	15,0 mm	RSH 29E




Codice	Marca	Spessore	Mescola*
E8055RH42	Pagid	17,5 mm	RSH 42


Codice	Marca	Spessore	Mescola*
E8069R19	Pagid	17,0 mm	RS 19
E8069R42	Pagid	17,0 mm	RS 4-2




Codice	Marca	Spessore	Mescola*
E8070RH29	Pagid	17,0 mm	RSH 29E




Codice	Marca	Spessore	Mescola*
E8071RH29	Pagid	17,0 mm	RSH 29E




Codice	Marca	Spessore	Mescola*
E8074R14	Pagid	17,0 mm	RS 14
E8074R29	Pagid	17,0 mm	RS 29
E8074RSL1	Pagid	17,0 mm	RSL1
E8074RSL2	Pagid	17,0 mm	RSL2




Codice	Marca	Spessore	Mescola*
E8077R44	Pagid	13,1 mm	RS 4-4




Codice	Marca	Spessore	Mescola*
E8080R19	Pagid	17,5 mm	RS 19




Codice	Marca	Spessore	Mescola*
E8081R14	Pagid	17,0 mm	RS 14
E8081R29	Pagid	17,0 mm	RS 29
E8081RSC1	Pagid	17,0 mm	RSC1
E8081RSC2	Pagid	17,0 mm	RSC2
E8081RSC3	Pagid	17,0 mm	RSC3
E8081RSL1	Pagid	17,0 mm	RSL1




Codice	Marca	Spessore	Mescola*
E8082R29	Pagid	15,0 mm	RS 29
E8082RSL1	Pagid	15,0 mm	RSL1
E8082RST3	Pagid	15,0 mm	RST3




Codice	Marca	Spessore	Mescola*
E8083R29	Pagid	17,0 mm	RS 29
E8083RSC1	Pagid	17,0 mm	RSC1
E8083RSC2	Pagid	17,0 mm	RSC2
E8083RSC3	Pagid	17,0 mm	RSC3
E8083RSL1	Pagid	17,0 mm	RSL1




Codice	Marca	Spessore	Mescola*
E8084R29	Pagid	16,7 mm	RS 29
E8084RSL1	Pagid	16,7 mm	RSL1




Codice	Marca	Spessore	Mescola*
E8085R29	Pagid	17,0 mm	RS 29
E8085RSL1	Pagid	17,0 mm	RSL1




Codice	Marca	Spessore	Mescola*
E8091R19	Pagid	16,0 mm	RS 19
E8091RSC1	Pagid	16,0 mm	RSC1
E8091RSC2	Pagid	16,0 mm	RSC2
E8091RSC3	Pagid	16,0 mm	RSC3




Codice	Marca	Spessore	Mescola*
E8094R19	Pagid	19,0 mm	RS 19




Codice	Marca	Spessore	Mescola*
E8096R19	Pagid	18,5 mm	RS 19
E8096RSL1	Pagid	18,5 mm	RSL1




Codice	Marca	Spessore	Mescola*
E8102R19	Pagid	21,0 mm	RS 19
E8102RSL1	Pagid	21,0 mm	RSL1
E8099R19	Pagid	25,0 mm	RS 19
E8099R29	Pagid	25,0 mm	RS 29
E8101R19	Pagid	25,0 mm	RS 19
E8101R29	Pagid	25,0 mm	RS 29
E8101RSL1	Pagid	25,0 mm	RSL1
E8101RSL2	Pagid	25,0 mm	RSL2
E8101RST1	Pagid	25,0 mm	RST1
E8101RST2	Pagid	25,0 mm	RST2
E8101RST3	Pagid	25,0 mm	RST3
E8194RSL1	Pagid	26,0 mm	RSL1
E8194RSL2	Pagid	26,0 mm	RSL2
E8098R19	Pagid	29,0 mm	RS 19
E8098R29	Pagid	29,0 mm	RS 29
E8100R19	Pagid	29,0 mm	RS 19
E8100R29	Pagid	29,0 mm	RS 29
E8100RSL1	Pagid	29,0 mm	RSL1
E8100RSL2	Pagid	29,0 mm	RSL2
E8100RST1	Pagid	29,0 mm	RST1
E8100RST2	Pagid	29,0 mm	RST2
E8103R29	Pagid	31,0 mm	RS 29
E8103RSL1	Pagid	31,0 mm	RSL1
E8103RSL2	Pagid	31,0 mm	RSL2
E8103RST3	Pagid	31,0 mm	RST3




Codice	Marca	Spessore	Mescola*
E9521RH42	Pagid	15,4 mm	RSH 42




Codice	Marca	Spessore	Mescola*
CP6600D55-APF404	AP Racing	16,75 mm	APF404
FRP3083H	Ferodo	16,9 mm	DS2500
FRP3083R	Ferodo	16,9 mm	DS3000
FRP3083W	Ferodo	16,9 mm	DS1.11
FRP3083Z	Ferodo	16,9 mm	DSUNO
E4345R14	Pagid	16,7 mm	RS 14
E4345R29	Pagid	16,7 mm	RS 29
E4345RSL1	Pagid	16,7 mm	RSL1
E4345RSL2	Pagid	16,7 mm	RSL2
E4345RST1	Pagid	16,7 mm	RST1
E4345RST2	Pagid	16,7 mm	RST2
E4345RST3	Pagid	16,7 mm	RST3
E4345RST4	Pagid	16,7 mm	RST4




Codice	Marca	Spessore	Mescola*
5009W54T17RC6	Carbone Lorraine	17,0 mm	RC6
5009W54T18RC5	Carbone Lorraine	18,0 mm	RC5+
5009W54T18RC6	Carbone Lorraine	18,0 mm	RC6
5009W54T18RC6E	Carbone Lorraine	18,0 mm	RC6 Endurance
5009W54T18RC8	Carbone Lorraine	18,0 mm	RC8
5009W54T18RC8R	Carbone Lorraine	18,0 mm	RC8-R
5009W54T25RC6	Carbone Lorraine	25,0 mm	RC6
5009W54T25RC6E	Carbone Lorraine	25,0 mm	RC6 Endurance
5009W54T25RC8R	Carbone Lorraine	25,0 mm	RC8-R
E1904R19	Pagid	18,0 mm	RS 19
E1904R29	Pagid	18,0 mm	RS 29
E1904RSL1	Pagid	18,0 mm	RSL1
E1904RST1	Pagid	18,0 mm	RST1
E1904RST3	Pagid	18,0 mm	RST3
E1539R14	Pagid	25,0 mm	RS 14
E1539R19	Pagid	25,0 mm	RS 19
E1539R29	Pagid	25,0 mm	RS 29
E1539R42	Pagid	25,0 mm	RS 4-2
E1539RSL1	Pagid	25,0 mm	RSL1
E1539RSL2	Pagid	25,0 mm	RSL2
E1539RST1	Pagid	25,0 mm	RST1
E1539RST2	Pagid	25,0 mm	RST2
E1539RST3	Pagid	25,0 mm	RST3
E1539RST4	Pagid	25,0 mm	RST4




Codice	Marca	Spessore	Mescola*
E4907R29	Pagid	16,0 mm	RS 29
E4907RSC1	Pagid	16,0 mm	RSC1
E4907RSC2	Pagid	16,0 mm	RSC2
E4907RSC3	Pagid	16,0 mm	RSC3




Codice	Marca	Spessore	Mescola*
FRP3085H	Ferodo	16,0 mm	DS2500
FRP3085R	Ferodo	16,0 mm	DS3000
FRP3085W	Ferodo	16,0 mm	DS1.11
FRP3085Z	Ferodo	16,0 mm	DSUNO
FRP3084H	Ferodo	16,7 mm	DS3000
FRP3084R	Ferodo	16,7 mm	DS2500
FRP3084W	Ferodo	16,7 mm	DS1.11
FRP3084Z	Ferodo	16,7 mm	DSUNO




Codice	Marca	Spessore	Mescola*
E4346R14	Pagid	16,7 mm	RS 14
E4346R29	Pagid	16,7 mm	RS 29
E4346RSC1	Pagid	16,7 mm	RSC1
E4346RSC2	Pagid	16,7 mm	RSC2
E4346RSC3	Pagid	16,7 mm	RSC3
E4346RSL1	Pagid	16,7 mm	RSL1
E4346RSL2	Pagid	16,7 mm	RSL2
E4346RST1	Pagid	16,7 mm	RST1
E4346RST2	Pagid	16,7 mm	RST2
E4346RST3	Pagid	16,7 mm	RST3
E4346RST4	Pagid	16,7 mm	RST4




Codice	Marca	Spessore	Mescola*
CP7600D46-APF403	AP Racing	16,0 mm	APF403
CP7600D46-APF404	AP Racing	16,0 mm	APF404
E8076R14	Pagid	14,4 mm	RS 14
E8076R29	Pagid	14,4 mm	RS 29
E8076RST1	Pagid	14,4 mm	RST1
E4349R14	Pagid	16,0 mm	RS 14
E4349R29	Pagid	16,0 mm	RS 29
E4349R42	Pagid	16,0 mm	RS 42
E4349RSC1	Pagid	16,0 mm	RSC1
E4349RSC2	Pagid	16,0 mm	RSC2
E4349RSL1	Pagid	16,0 mm	RSL1
E4349RST1	Pagid	16,0 mm	RST1
E4349RST2	Pagid	16,0 mm	RST2
E4349RST3	Pagid	16,0 mm	RST3
E4349RST4	Pagid	16,0 mm	RST4




Codice	Marca	Spessore	Mescola*
E4908R29	Pagid	15,6 mm	RS 29
E4908RSC1	Pagid	15,6 mm	RSC1
E4908RSC2	Pagid	15,6 mm	RSC2
E4908RSC3	Pagid	15,6 mm	RSC3
E4908RSL1	Pagid	15,6 mm	RSL1
E4908RST1	Pagid	15,6 mm	RST1
E4908RST3	Pagid	15,6 mm	RST3




Codice	Marca	Spessore	Mescola*
E4909R19	Pagid	16,0 mm	RS 19
E4909R29	Pagid	16,0 mm	RS 29
E4909RSC1	Pagid	16,0 mm	RSC1
E4909RSC2	Pagid	16,0 mm	RSC2
E4909RSC3	Pagid	16,0 mm	RSC3
E4909RSL1	Pagid	16,0 mm	RSL1
E4909RSL2	Pagid	16,0 mm	RSL2
E4909RST1	Pagid	16,0 mm	RST1
E4909RST3	Pagid	16,0 mm	RST3



Codice	Marca	Spessore	Mescola*
E4910RSC1	Pagid	20,0 mm	RSC1



Codice	Marca	Spessore	Mescola*
E4906RSC1	Pagid	16,3 mm	RSC1
E4906RSC2	Pagid	16,3 mm	RSC2
E4906RSC3	Pagid	16,3 mm	RSC3



Codice	Marca	Spessore	Mescola*
E4912RST1	Pagid	18,0 mm	RST1
E4912RST2	Pagid	18,0 mm	RST2
E4912RST3	Pagid	18,0 mm	RST3
E4912RST4	Pagid	18,0 mm	RST4